



2020-21 Product Line Brochure

PETERSON



TABLE OF CONTENTS

Backhoe Loaders	3	Track Loaders	7
Skid Steer Loaders	3	Dozers	7
Utility Vehicles	3	Landfill Compactors	8
Compact Track Loaders	3	Soil Compactors	8
Compact Wheel Loaders	3	Wheel Dozers	8
Small Wheel Loaders	3	Wheel Dozer Scoops	8
Medium Wheel Loaders	4	Motor Graders	8
Large Wheel Loaders	4	Pipelayers	9
Steel Mill Arrangements	4	Forest Machines	9
Waste/Scrap Handling Arrangements	4	Wheel Loaders	9
Block Handler Arrangements	4	Paving Equipment	
Telehandlers	4	Cold Planers.....	9
Wheel Tractor Scrapers	5	Reclaimers/Stabilizers.....	9
Articulated Trucks	5	Asphalt Paving Machines.....	10
Off-Highway Trucks	5	Vibratory Soil Compactors.....	10
OHT Truck Bare Chassis	5	Tandem Vibratory Rollers.....	10
Mini Hydraulic Excavators	6	Pneumatic Rollers.....	10
Small Hydraulic Excavators	6	Work Tool Attachments	12
Medium Hydraulic Excavators	6	Weiler Paving Products	16
Large Hydraulic Excavators	6	Weiler Forestry Products	17
Demolition Excavators	6	Cat Connect Solutions	18
Long Reach Excavators	7		
Wheel Hydraulic Excavators	7		
Wheel Material Handlers	7		

For more complete information on Cat products, dealer services and industry solutions, please consult the experts at our Peterson or visit us on the web at www.petersoncat.com

© 2020 Caterpillar. All Rights Reserved.

CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

VisionLink™ is a trademark of Trimble Navigation Limited, registered in the United States and in other countries. Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment. See our dealership for available options. Not all features are available in all regions.

Backhoe Loaders



Model	Net Power	Max. Operating Weight	Dig Depth	
	hp	lb	Std. Stick	Ext. Stick
415F2 IL	68	17,637	NA	NA
415F2	68	24,251	14.3	17.9
416F2	87	24,251	14.3	17.9
420F2/ 420F2 IT	93	24,251	14.3	17.9
430F2	108	24,251	15.4	19.5
440	118	29,321	15.6	19.3
450	146	29,321	17.0	21.1

Compact Track Loaders



Model	Net Power	Operating Weight	Operating Capacity	Ground Pressure
	hp	lb	lb	psi
239D3	67.1	7,434	1,530	4.4
249D3	67.1	7,831	1,740	4.7
259D3	74.3	8,987	2,010	4.9
279D3	74.3	10,095	2,200	4.4
289D3	74.3	10,688	2,890	4.7
299D3	98	11,464	3,480	4.7
299D3 XE	110	11,756	3,560	4.8
299D3 XE Land Management	110	12,764	4,340	5.2

Skid Steer Loaders



Model	Gross Power	Rated Operating Capacity	Operating Weight
	hp	lb	lb
226D3	67.1	1,550	5,849
232D3	67.1	1,900	6,514
236D3	74.3	1,800	6,567
242D3	74.3	2,200	7,138
246D3	74.3	2,200	7,478
262D3	74.3	2,700	8,296
272D3	98	3,450	9,133
272D3 XE	110	3,700	9,573

Wheel Loaders



Compact

Model	Net Power	Operating Weight	Bucket Capacity
	hp	lb	yd ³
903D	40	9,414	0.8 - 1.3
906M	74	12,252	1 - 2
907M	74	12,659	1 - 2
908M	74	14,026	1 - 2
910M	97	18,286	1.7 - 2.5
914M	97	19,219	1.7 - 2.5
918M	113	20,874	1.7 - 2.5

Utility Vehicles



Model	Fuel Type	Seat Capacity	Top Speed
CUV 82	Gasoline	2	> 45 mph
CUV 85	Gasoline	5	> 45 mph
CUV 102D	Diesel	2	25 mph
CUV 105D	Diesel	5	25 mph

Small

Model	Net Power	Operating Weight	Bucket Capacity
	hp	lb	yd ³
926M	153	28,632	2.5 - 6.5
930M	168	31,465	2.7 - 6.5
938M	188	35,876	3.3 - 6.5

Wheel Loaders



Medium

Model	Net Power	Operating Weight	Bucket Capacity
	hp	lb	yd ³
950 GC	225	41,554	3.75 - 5.75
950M	230	42,357	3.3 - 12
962M	250	44,591	3.3 - 12
966M	311	51,176	4.2 - 9.7
966M XE	298	51,176	4.2 - 9.7
972M	299	54,871	4.2 - 13
972M XE	311	54,871	4.2 - 13
980M	386	66,337	5.25 - 16
982M	398	78,402	6.0 - 15.8

Waste/Scrap Handling Arrangements



Model	Net Power	Operating Weight	Bucket Capacity
	hp	lb	yd ³
930M WHA	170	33,396	3.9 - 6.5
938M WHA	190	38,555	3.9 - 6.5

Block Handler Arrangements



Model	Net Power hp	Operating Weight lb	Static Tipping Load
			Full turn (Articulated 35°) Forks (Rigid tire) lb
986K Block	373	116,688	69,053
988K Block	541	135,602	79,736

Large



Model	Net Power	Operating Weight	Bucket Capacity
	hp	lb	yd ³
986K	373	98,806	6.5 - 13.5
988K	541	112,574	6.2 - 17
988K XE	541	116,362	6.2 - 17
990K	699	178,517	9.7 - 19.5

Steel Mill Arrangements



Model	Net Power	Operating Weight	Bucket Capacity
	hp	lb	yd ³
988K	541	112,574	7.0 - 8.3
990K	699	204,693	11.2 - 12

Telehandlers



Model	Gross Power	Operating Weight	Rated Capacity	Max. Lift Height
	hp	lb	lb	ft
TH255C	74	11,000	5,500	18.37
TH357D	111/124	17,163	7,700	23
TH408D	111/124/142	18,797	8,800	24.9
TH3510D	111/124/142	20,170	7,700	32.1
TH514D	100	26,211	11,000	45.6
TL642C	100	22,002	6,500	42
TL943D	111	25,750	9,000	14.4
TL1055D	142.1	31,879	10,000	54.9
TL1255D	142.1	34,361	12,000	54.6

Wheel Tractor - Scrapers



Model	Flywheel Power	Scraper Capacity (Heaped)	Top Speed (Loaded)
	hp	yd ³	mph
621K	407	24	33.5
627K	407/290	24	33.5
631K	570	34	34.7
637K	570/290	34	34.7
657G	600/451	44	33
637K Coal	570/290	50	34.7
657G Coal	600/451	73	33

Articulated Trucks



Model	STD Wheelbase	Long Wheelbase	Rated Payload
	in	in	ton
725C2 Bare Chassis	156.7	215.2	26
730C2 Bare Chassis	156.7	215.2	31

	Net Power	Rated Payload	Capacity (Heaped)
	hp	ton	yd ³
725	342	26.5	19.6
730	370	31	23
730 EJ	367	30	22.1
735	424	35.3	26.2
740 EJ	496	42	30.1
740 GC	439	40	29.7
745	496	45.2	32.7

Off-Highway Trucks



Model	Gross Power	Nominal Capacity	Top Speed
	hp	ton	mph
770G	515	42.1	45.8
772G	605	51.6	49.2
773G	825	61	41.6
775G	825	70.5	41.6
777G	1,025	98.4	41.7
785D	1,450	154	34
785G	1,600	152	34
789D	2,100	210	35.5
793D	2,415	256	33.7
793F	2,650	255	37.3
794AC	3,500	327	37
795F AC	3,400	372	40
796AC	3,500	360	40
797F	4,000	401	42
798AC	3,500	410	40

OHT Trucks - Bare Chassis



Model	Chassis Weight (Without Hoist)	Tractor ROPS	Nominal Water Tank Capacity
	lb	lb	gal
772G WTR	59,567	77,430	11,000
775G WTR	76,573	85,288	15,000
777G WTR	112,656	133,082	20,000
785D WTR	177,309	207,234	30,000
793F WTR	-	-	52,000

Hydraulic Excavators



Mini

Model	Net Power hp	Operating Weight lb	Max Digging Depth in
300.9D	13	2,170	67
300.9D VPS & MPU300	13	2,399	68
301.5	19.2	3,898	100
301.7 CR	19.2	4,063	100
301.8	19.2	4,442	101.2
302 CR	19.2	4,861	101.2
302.7D CR	20.7	6,239	108
303E CR	23.5	7,204	117
303.5E2 CR	23.5	8,511	125
304E2 CR	40.2	8,930	135
305E2 CR	40.2	11,334	144
305.5E2 CR	44.1	11,863	152
306 CR	55.9	15,821	146
307.5	55.9	18,152	183
308 CR	70.3	20,077	183
308 CR VAB	70.3	20,906	154.5
309 CR	70.3	21,091	181
309 CR VAB	70.3	20,731	154.8
310	70.3	22,447	205

Small

Model	Net Power hp	Operating Weight lb	Max Digging Depth ft
311F L RR	71	28,660	18.33
313F L	92	33,080	19.8
313F L GC	70	29,300	19.75
313 GC	74	30,400	19.9
313	110	30,400	19.9
315	110	35,700	19.7
315F L	97	37,794	19.5
316F L	117	39,710	20.0
318F L	117	42,340	20.0

Medium

Model	Net Power hp	Operating Weight lb	Max Digging Depth ft
320 GC	121	48,281	22.0
320	162	49,600	22.1
323	162	56,200	22.1
325	172	49,604	22.0
326	201	57,100	22.38
330 GC	202	67,700	23.8
330	273	68,100	23.8
335F L	200	83,820	22.93

Large

Model	Net Power hp	Operating Weight lb	Max Digging Depth ft
336 GC	273	80,500	27
336	311	81,900	26.9
349F	417	107,145	25.17
352	424	110,500	23.2
352F	417	112,200	24.67
374F	472	161,533	23.67
390F	524	198,070	23.5
395	543	207,300	31.8



Demolition Excavators

Model	Net Power hp	Operating Weight lb	Max. pin height at stick nose ft	Max. weight at stick nose lb
340	314	88,500	45.2	10,570
340F UHD	313	117,103	71.2	7,938
352 UHD	425	151,483	90.75	8,157

Long Reach Excavators



Model	Net Power hp	Operating Weight lb	Max Digging Depth ft
340	311	96,700	42.8
352F LRE	408	130,955	42.9

Wheel Excavators



Model	Net Power hp	Travel Speed mph	Operating Weight lb
M314F	141	23	31,658 - 35,164
M314	148	21	33,069 - 39,683
M315F	150	19	34,811 - 36,972
M316F	141	22	33,973 - 38,559
M317F	150	19	36,927 - 38,691
M318F	169	22	37,919 - 43,431
M318	174	21	38,580 - 43,980
M320F	169	22	41,337 - 45,525
M322F	169	19	47,377 - 49,229

Wheel Material Handlers



Model	Net Power hp	Operating Weight lb	Max. Reach ft
MH3040	202	84,940	50.8
MH3022	174	48,094 - 50,552	33.92
MH3024	174	50,596 - 53,242	36.08
MH3026	174	55,601 - 57,651	40.92

Track Loaders



Model	Net Power hp	Operating Weight lb	Rated Bucket Capacity yd³
953K	154	33,852	2.42
963K	193	44,138	3.2
973K	275	63,900	4.2

Dozers



Model	Net Power hp	Operating Weight lb	Blade Capacity yd³
D3K2	80	17,465	1.99
D4K2	92	18,007	2.59
D4	130	29,258	4.2
D5K2	104	20,313	2.8
D5	170	42,263	5.2
D6	215	50,650	7.5
D6 XE	215	51,250	7.5
D7	265	65,644	9.7
D7E	238	57,441	8.9
D8T	354	87,600	15.4
D9T	436	106,618	21.4
D10T2	600	154,700	24.2
D11	850	229,800	45.0
D11T/D11T CD	850	229,800	45.0

Landfill Compactors



Model	Net Power	Operating Weight	Blade Width (over end bits)
	hp	lb	ft-in
816K	248	56,899	12 - 0
826K	405	90,207	14 - 9
836K	496	123,319	17 - 0

Soil Compactors



Model	Net Power	Operating Weight	Blade width (over end bits)
	hp	lb	ft-in
815K	248	49,353	12 - 4
825K	405	78,326	15 - 2

Wheel Dozers



Model	Net Power	Operating Weight	Blade Capacity
	hp	lb	yd ³
814K	248	49,390	3.72
824K	405	74,966	6.6
834K	496	105,271	10.3 - 29
844K	699	165,089	20.7 - 40.2
854K	814	224,254	33 - 58

Wheel Dozer Scoops



Model	Net Power	Operating Weight	Scoop Capacity
	hp	lb	yd ³
834K - Coal	496	112,838	30 - 60
834K - Wood Chips	496	112,838	35 - 70

Motor Graders



Model	Net Power	Operating Weight	Blade Width
	hp	lb	ft
120/120 AWD	139	35,067	12
140/140 AWD	179	42,647	12
140/140 AWD-LVR	250	42,325	12
140 GC	196	38,912 - 42,119	12
150/150 AWD	200	43,950	12
160/160 AWD	221	45,547	14
14	238	57,250	14
16	290	71,454	16
18	304	74,324	18
24	535	161,695	24

Pipelayers



Model	Power hp	Operating Weight lb	Lifting Capacity lb
PL61	125	37,480	40,000
PL72	212	68,945	90,000
PL83	310	106,807	160,000
PL87	366	120,119	214,000

Forest Machines



Model	Net Flywheel Power hp	Operating Weight lb	Max. Reach ft-in
538	164	66,639	13.14
548	204	81,458	21.74
558	239	85,239	24.44
568	291	106,128	29.04

Wheel Loaders



Millyard Arrangements

Model	Net Power hp	Operating Weight lb	Static tipping load (articulated 37°) lb
988K	541	139,920	68,005
990K	699	202,398	81,896

Cold Planers



Model	Gross Power hp	Operating Weight lb	Milling Width in	Max. Working Depth in
PM310 Track	336.6	48,016	39.4	13
PM312 Track	325	48,153	48.2	13
PM313 Track	325	48,382	51.2	13
PM310 Wheel	336.6	46,203	39.4	13
PM312 Wheel	325	46,610	48.2	13
PM313 Wheel	325	46,839	51.2	13
PM620	630	73,480	79.1	13
PM622	630	74,737	88	13
PM820	800.6	79,653	79.1	13
PM822	800.6	80,910	88	13
PM825	800.6	82,673	98.6	13

Reclaimers/ Stabilizers



Model	Gross Power hp	Operating Weight lb	Cutting/Mixing Width in	Max. Working Depth in
RM300	350	53,911	96	20
RM400	415.7	58,863	96	20
RM500B	546	62,611	96	20

Asphalt Paving Machines



Model	Gross Power hp	Operating Weight lb	Std. Paving Range ft-in
AP355F	74.8	19,246	5' 9" - 11' 2"
AP555F	142	30,430	8' 4" - 16' 4"
AP655F	173	34,356	8' 4" - 16' 4"
AP1055F	225	45,090	9' 10" - 19' 6"
AP300F	73.8	18,078	5' 6" - 11' 1"
AP500F	142	29,020	8' 4" - 16' 4"
AP600F	173	30,522	8' 4" - 16' 4"
AP1000F	225	41,985	9' 10" - 19' 6"

Screeds

Model	Weight lb	Standard Paving Range ft-in	Max. Paving Width ft
SE50 V	7,239	8' 4" - 16' 4"	21.3
SE50 VT	7,363	8' 4" - 16' 4"	26.3
SE60 V	7,495	9' 10" - 19' 6"	25
SE60 V XW	8,973	9' 10" - 19' 6"	33
SE60 VT XW	9,898	10' - 19' 6"	33

Vibratory Soil Compactors



Model	Gross Power hp	Operating Weight lb	Compaction Width in
CS34	74	9,799	50
CS44B	100.6	15,895	66
CP44B	100.6	16,471	66
CS54B	131	23,265	84
CP54B	131	24,539	84
CS56B	157	25,346	84
CP56B	157	25,707	84
CS64B	131	26,569	84
CS68B	157	31,572	84
CP68B	157	32,370	84
CS74B	173.7	35,264	84
CP74B	173.7	36,048	84
CS78B	173.7	41,214	84

Tandem Vibratory Rollers



Model	Gross Power hp	Operating Weight lb	Compaction Width in
CCS7	100.6	16,320	67
CCS9	131	19,842	84
CB1.7	24.7	3,538	35
CB1.8	24.7	3,825	39
CB22B	36.2	5,629	39
CB24B	36.2	6,003	47
CB24B XT	36.2	6,885	47
CB32B	36.2	6,190	51
CC24B	36.2	5,380	47
CB34B	48.8	8,157	51
CB36B	48.8	8,385	55
CB34B	48.8	7,446	51
CB7	100	17,615	59
CB8	100	18,783	67
CB10	131	20,945	67
CB13	142	28,440	79
CB15	142	28,958	84
CB16	142	31,941	84
CD8 Solid-drum	100	16,314	59
CD8 Split-drum	100	18,497	59
CD10 Solid-drum	101.9	19,908	67
CD10 Split-drum	101.9	22,311	67

Pneumatic Rollers



Model	Gross Power hp	Operating Weight lb	Compaction Width in
CW34	133	59,525	82
CW16 9-Wheel	100.5	33,069	68
CW16 11-Wheel	100.5	32,849	84

TRAIN YOUR OPERATORS AND IMPROVE PRODUCTIVITY!



Operator Training courses available from Peterson Cat:

ISO SYMBOL AND EMISSIONS TRAINING

▶ \$500

- Includes in-depth look at ISO symbols and what they represent
- Includes in-depth training on Tier 4 Emissions (DPF, DEF system, etc)
- Customize training based on type of Cat® equipment owned
- Includes up to 4 hours of training
- Includes up to 4 people
- Preferred style - classroom (or shop)

MACHINE OPERATOR TRAINING

▶ \$750

- Understand the proper maintenance required by the operator
- Includes walk around of specific Cat machines
- Includes up to 4 hours of training
- Includes up to 4 people
- Preferred style - field (or shop)

ISO SYMBOL, EMISSIONS, AND MACHINE OPERATOR TRAINING

▶ \$1000

- Includes both 1 and 2 training
- Includes up to 8 hours of training
- Includes up to 4 people
- Preferred style - classroom, field (or shop)

MACHINE CONTROL SYSTEM TRAINING

▶ \$1,500

- Introduction to the next generation machine control system (Trimble); advanced training optional
- Includes 8 hours of training
- Includes up to 2 people
- Preferred style - field
- Trimble certificate issued once completed

LEVEL 1

COMPETENT OPERATOR TRAINING

▶ Call for Pricing

- Training is 3 days
- Includes up to 4 participants
- Safety, Knowledge and Performance tests to be passed
- **Cat certificate issued** once completed
- Requires at least 6 months operator experience

LEVEL 2

PROFESSIONAL OPERATOR TRAINING

▶ Call for Pricing

- Training is 3 days
- Includes up to 4 participants
- Safety, Knowledge and Performance tests to be passed
- **Cat certificate issued** once completed
- Requires Level 1 completion plus 1,000 additional hours

LEVEL 3

PROFESSIONAL OPERATOR CERTIFICATION

▶ Call for Pricing

- Training is up to 4 days
- Includes 1 participant
- Requires Level 1 and 2 completion plus 5+ years operator experience

LET'S DO THE WORK.™

PETERSON



Peterson Cat can customize any training program to meet your specific needs. Trainings can be tailored for your organization's equipment set, technical needs and time-line. Trainers can also travel to your location.

Partner with Peterson Cat and let us help your Operators go from good to great!

For more information, call or text Allan Emmons at 541-953-4077 or visit petersoncat.com/operatortraining

WORK TOOL ATTACHMENTS

THE RELIABLE CHOICE

Using high quality Cat® Work Tools in combination with your Cat machines gives you perfect performance matches. No matter which attachments you choose from our extensive range, you benefit from: uninterrupted productivity; a single point of contact for all your equipment needs; the backing of unrivaled parts and service, and a vast dealer network. Because they are Cat Work Tool Attachments, they also provide a high resale value.

Cat SMART Attachments with ASSIST Features Improve Productivity

Caterpillar upgrades the D3 Series with new SMART attachment blades and backhoe.

Three new Cat SMART attachments, the Dozer Blade, Grader Blade, and Backhoe, are designed to add significant versatility to the range of D3 Series Cat Skid Steer Loaders and Compact Track Loaders. The control systems for the new attachments enable operators to easily adapt each machine's standard controls to precisely match the recognized SMART Attachments' control needs.

The ASSIST feature enhances operator proficiency to achieve smoother grades with fewer passes by coordinating machine and blade movements to craft flat surfaces, enabling the operator to concentrate on building or cutting material to achieve the desired grade.

As you will see, we offer everything you need to get the job done efficiently and with confidence. Whether you need to cut, rip or tear, sort or load, lift or dig, move or level, pulverize or crush—we have the solution.

Contact our dealership for more details about Cat Work Tool Attachments.

Augers

Augers are designed for drilling holes with the right amount of speed and torque for maximum productivity in many soil types. Cat Augers are for use on Cat Skid Steer Loaders, Compact Track Loaders, Compact Wheel Loaders, Mini Excavators and Backhoe Loaders.



Bale Handlers

The Bale Handler is designed to load, carry and handle round and square bales of hay, straw, cotton and other similar materials. This telehandler work tool is ideal for hay handling, feedlot operations, cattle and horse farms, stables and silage applications.



Backhoes

Backhoe attachments are used for digging footings, drainage ditches, utility trenching, maintaining slopes and embankments in a variety of construction, industrial and landscape settings. They pair well with hammers, thumbs and augers—extending the versatility of Cat Skid Steer Loaders and Compact Track Loaders.



Blades

Caterpillar offers a wide variety of blade styles including straight, coal, woodchip, landfill, reclamation and cushion dozer—enhancing the machine's productivity in many different industries and applications. Every Cat Blade is designed to perfectly match the machine's configuration, extending your effective scope of operation.



Bale Grabs and Bale Spears

Bale Grabs safely grab and carry square or round baled material. Bale Spears are ideal for handling hay bales, both round and square as well as other baled material in agriculture applications.



Brooms

Brooms are ideal for sweeping and cleaning dirt, rock, snow and other debris from streets, parking lots, driveways, sidewalks and factory floors. Several sizes and styles are available for Cat loaders. Water sprinkler kits are available for dust control.



Brushcutters

Brushcutters are ideal for clearing overgrowth from highway medians, utility and pipeline easements and for initial land clearing for housing, parks and recreational areas. The SSL/CTL-based heads can process brush, shrubs, and grasses. Cat® Brushcutters are well suited for high-production brush cutting for land management projects.



Buckets—Excavator

Caterpillar offers a wide variety of excavator buckets to include: clean-up, digging, ditch cleaning, ditch cleaning tilt, extreme duty, general duty, grading, heavy duty and severe duty. Consult with the experts at our dealership to ensure selection of the most efficient bucket for your machine and application.



Buckets—Loaders

Cat® Loader Buckets are designed to load easily and efficiently in all applications. Grading buckets' long, flat floor can scoop material, level or backfill.



Cold Planers

Cold planers are primarily used to economically restore asphalt and concrete surfaces in small residential and commercial paving jobs. They are also ideal for milling imperfections prior to resurfacing and removing deteriorated pavement when the use of dedicated planers is limited. They are designed for use on Cat Skid Steer Loaders, Compact Track and Wheel Loaders and Backhoe Loaders.



Compactors—Drum

Vibratory drum compactors are used for compacting soil, sand or gravel prior to pouring concrete or laying asphalt surfaces. Vibratory action and dynamic force combine to provide excellent compaction in a compact size. This compactor style is designed for use on Cat Skid Steer Loaders, Compact Track and Wheel Loaders.



Compactors—Plate

Vibratory Plate Compactors are used for compacting soil, sand or gravel prior to pouring concrete or laying asphalt surfaces. They are also ideal for asphalt patch work. This compactor style is designed for use on Cat Skid Steer Loaders, Compact Track and Wheel Loaders.



Flail Mowers

Flail mowers are ideal for efficient cutting and mulching of vegetation and overgrowth for both commercial and residential properties.



Forks—Forestry

Several fork types are available for heavy-duty applications found in forestry sites and millyards. Logging, millyard, grapple and lumber forks are available for loading and unloading trucks, decking and feeding the mill, to handling and sorting lumber, logs and palletized material.



Forks—Pallet

Many pallet fork sizes are available to equip the smallest to largest machines to handle all types of material. From bulky, palletized material found on most every construction site to bagged fertilizer and seed on landscaping and nursery sites—pallet forks are some of the most versatile attachments.



Forks—Pipe and Pole

This purpose-built fork is designed for use on wheel loaders in oil and gas field drilling, pipeline construction and utilities work. The two-piece top clamp holds pipe from two to 36 inches in diameter. Clamping surface has rubber contact pads to protect pipe from damage.



Grapples—Contractors

This grapple style is strong and durable, equipping hydraulic excavators for structural demolition, material handling, sorting, loading and unloading rock, scrap, pipe, waste material and other debris. The lower jaw is slightly curved and enables easy loading, more penetration into scrap debris, and unrestricted release of material when unloading.



Grapples—Demolition and Sorting

It's easy for an excavator operator to precisely position this grapple to move scrap and demolition debris with its 360° rotation. Powerful grab force and fast cycle times ensure high productivity when taking down a building or sorting and loading material.



Grapples—Forestry

Forestry grapples for forest machines feature 360° rotation and can be quickly positioned for maximum productivity. Cat Forestry Grapples are built using high-strength steel throughout the body and tines, reinforced in key areas to maintain structural integrity. A wide range of sizes is available.



Grapples—Orange Peel

Continuous 360° rotation gives material handler operators full control to position the grapple swiftly and precisely in scrap and other material. A covering guard facilitates easy access to the cylinders, which are housed within the tines for maximum protection. Choose from 4- or 5-tines in range of capacities sized for use with small and medium material handling excavators.



Grapples—Trash

These grapples are wide and feature a 4-over-5 tine jaw construction making them ideal for excavators handling and moving large volumes of municipal solid waste, wood chips, wood debris, and other low-density material quickly.



Grapple Buckets, Forks and Rakes

Grapple buckets, forks and rakes are designed to handle bulky materials. They are built for compact track and skid steer loaders, compact wheel loaders and telehandlers. Utility grapple buckets, forks and rakes are for handling light materials while industrial grapples are for heavy-duty usage.



Hammers

Working a Cat® Hammer is as comfortable as possible for the operator and those around the jobsite. A sealed, sound-suppressed housing protects the power cell and significantly reduces sound levels of silenced models. A variety of sizes and tool options make Cat Hammers the ideal choice for concrete demolition, breaking rock and frozen or hard ground, and trenching.



Lift Groups

Balderson Parallel Lift Groups enable Cat® Motor Graders to engage a variety of front-mounted attachments such as plows, V-plows and straight blades, adding to the machine's versatility and on-the-job performance.



Material Handling Arms

These tools equip Cat Loaders and Telehandlers for moving, manipulating and placing pipe, precast concrete structures, small equipment and other similar items with maximum visibility and control. They are well suited for loading, carrying and setting trees and large shrubs in landscaping.



Mulchers

For high performance cutting and mulching of vegetation and undergrowth from typical wooded terrain—this attachment reduces trees, saplings, and shrubs into mulched material. The SSL/CTL-based heads can process trees up to 8" diameter providing effective solutions for land management projects. These rugged heads can also incorporate the mulch into the soil, returning nutrients to the soil and reducing erosion.



Multi-Processors

A multi-processor equips your excavator for even higher levels of demolition versatility. Consisting of a housing and jaw set (with six jaw options available), it gives the flexibility to choose the right jaw set for cutting and crushing most any material found on the scrap and demolition jobsite.



Pulverizers

Secondary pulverizers fine crush concrete and concrete blocks resulting from site demolition. Wide jaws with pick-up tips and numerous teeth, a large opening, reversible cutting edges and rapid closing time help reduce the largest possible amount of on-site concrete in the shortest possible time.



Quick Couplers

Cat Quick Couplers increase the machine's flexibility and versatility by enabling rapid changeover of work tool attachments—keeping a single machine highly productive. Couplers are available for loaders, excavators and backhoes.



Rakes—Landscape

This rake style uses hardened teeth to pulverize, aerate, level and condition the soil—while collecting and depositing rock and debris into an integrated hopper bucket for quick removal. These rakes are designed to operate with the loader in reverse, leaving the soil finely groomed with minimal compaction.



Rakes—Loader

Cat Loader Rakes feature fabricated steel teeth for strength and a long service life in land clearing, stump removal, and boulder and large tree moving. Heavy-duty styles with shorter teeth and more robust design are ideal for working in clay and other heavy soils. Rakes are available with or without a top clamp for wheel and track loaders.



Rakes—Power Box

This one work tool for compact track loaders, wheel loaders and skid steer loaders de-thatches, removes old lawns and weeds; grades, levels, rakes, removes debris; and prepares seedbeds. Angling ability enables the operator to windrow debris for easy pickup and removal.



Rippers

With its powerful, single point of penetration, Cat Rippers are effective at breaking out rock and other difficult materials. Using it with a compatible quick coupler and rock bucket for “rip and load,” you can supplement or even eliminate blasting rock prior to truck loading.



Snow Plows, Pushes and Wings

Whether on urban, rural or mountain roads, at airports, plant facilities, parking lots or clearing ditches, Cat Snow Plows, Snow Pushes and Snow Wings move snow with maximum efficiency and power. Snow Wings, one-way, reversible, angle and V-plow styles equip your Cat Loaders and Motor Graders for high-volume snow removal.



Rotors

Caterpillar offers a wide variety of sturdy rotors for reclaimers and milling machines. They are designed and built to precisely match the Cat machines they are mounted on to maximize efficiency, enhance productivity and ensure longer service life.



Stump Grinders

Designed to economically remove stumps in residential, commercial and agricultural settings—Cat Stump Grinders offer increased production compared to tow-behind grinders in situations where multiple stump removals are required. They are compatible with compact track and skid steer loaders, and compact wheel loaders.



Saws

Wheeled Saws are designed for high performance trench cutting on a variety of hard or compact surfaces like asphalt, reinforced concrete and rocky or frozen ground. They are compatible with compact track loaders, skid steer loaders and compact wheel loaders.



Thumbs

Thumbs work in conjunction with excavator buckets, enabling the machine to pick, sort, stack, load and move various materials found on the jobsite. Pro Series Hydraulic Thumbs move and rotate with the bucket through the bucket rotation cycle. Rigid-link thumbs are a low-cost, effective solution in which the thumb is manually moved to one of two working positions.



Scarifiers

Scarifiers are designed for a wide variety of ground-preparation applications. These attachments are available for Cat Motor Graders.



Tillers

Tillers are designed for breaking up and pulverizing soil, mixing compost or other material into existing soil, stabilizing and leveling existing terrain in landscape-finishing applications. Cat Tillers are compatible with compact track loaders, skid steer loaders and compact wheel loaders.



Shears

Cat Shears are designed for Cat machines—taking full advantage of the hydraulic flows and pressures to enhance productivity without compromising safety or causing premature wear of the shear and carrier. Mobile scrap and demolition shears can be boom-mounted, or stick mounted with or without a coupler.



Trenchers

Cat Trenchers are designed for use on compact track loaders, skid steer loaders and compact wheel loaders—enabling these machines to cut narrow straight trenches in soil for laying electrical, telephone and cable lines, and water and gas pipe.



Silage Defacers

Cat Silage Defacers are designed to prepare silage and haylage for feed. With high-torque motors, the Cat Silage Defacers face through bunks reliably and ensure minimal oxygen penetration reducing waste.



Truss Booms

Truss booms for telehandlers are designed to lift and place items like roof trusses, frames, beams as well as equipment. The truss boom, with its added horizontal and vertical reach, enables operators to place materials and equipment in hard to reach areas.



Snow Blowers

Cat Snow Blowers utilize a two-stage auger and impeller design to move a greater volume of snow quickly and efficiently. Compatible with Compact Track Loaders, Skid Steer Loaders, and Compact Wheel Loaders, Cat Snow Blowers are designed for removing snow from streets, parking lots, driveways and sidewalks.



Winches

Cat Retrieval Winches are built for easy installation on small dozers and are designed to handle various winch applications requiring high line pull and smooth speed modulation. They offer superior versatility and are ideal for dozers used in utility and retrieval type jobs.



WEILER PAVING PRODUCTS

Remixing Transfer Vehicles



Model	Engine	Power hp	Weight lb
E2850B	Cat C7.1 Tier 4	300	75,000
E1650	Cat C7.1 Tier 4	250	67,200
E1250B	Cat C7.1 Stage 5	250	53,400

Road Wideners



Model	Engine	Strike-off ft	Weight lb
W730B	Cat C4.4B Tier 4	1 - 14	34,160
W530A	Cat C3.4B/C4.4 Tier 4	1 - 10	26,327
W430A	Cat C3.4B Tier 4	1 - 8	19,500
W330B	Cat C2.2T Tier 4	1 - 6	14,800

Windrow Elevators



Model	Engine	Power hp	Weight lb
E650C	Cat C4.4 Tier 4	137	21,700
E550C	Cat C4.4 Tier 4	137	21,400

Commercial Pavers



Model	Engine	Width in	Weight lb
P385B	Cat C3.4B Tier 4	101	20,500
P265	Cat C3.4B Tier 4	98	16,200
P195 Path Paver	Cat C2.2 Tier 4	55	13,000
P65 Gravity Feed Paver	Cat C2.2 Tier 4	98	12,600

Force Feed Loader



Model	Engine	Gross Power hp	Weight lb
E1050	Cat C4.4 Tier 4	137	20,160

Screeds



Model	Paving Width ft	Weight lb
SE8F	8 - 15.5	6,200
SE10F	10 - 19.5	7,800

Weiler Paving Products - Continued

Compactors



Model	Engine	Power hp	Front Drum Width in	Rear Drum Width in
C307A/C310A Static Split-drum	Cat C3.4B Tier 4	74	50	50

Model	Engine	Power hp	Operating Weight lb
CT3 Pneumatic	Cat C1.5 Tier 4	36	5,000

Track Distributors



Model	Engine	Power hp	Capacity gal
TT250	Kohler	5.5	250
TT500	Kohler	5.5	250

WEILER FORESTRY PRODUCTS

Wheel Feller Bunchers



Model	Engine	Gross Power hp	Weight lb
B570	Cat C7.1 Tier 4	203	39,120
B670	Cat C7.1 Tier 4	241	42,143

Wheel Skidders



Model	Engine	Gross Power hp	Weight lb
S250	Cat C7.1 Tier 4 Final	203	20,500
S350	Cat C7.1 Tier 4 Final	225	16,200
S450	Cat C7.1 Tier 4 Final	250	13,000
S550	Cat C7.1 Tier 4 Final	275	12,600

Track Feller Bunchers



Model	Engine	Gross Power hp	Weight lb
B457	Cat C9.3 Tier 4 Final	298	67,020
B458	Cat C9.3 Tier 4 Final	298	79,221
B757	Cat C9.3 Tier 3	303	67,960
B758	Cat C9.3 Tier 3	303	81,738

Knuckleboom Loaders



Model	Engine	Gross Power hp	Weight lb
K560	Cat C4.4 Tier 4 Final	173	33,800
K760	Cat C4.4 Tier 4 Final	173	36,500



CAT[®] CONNECT SOLUTIONS

SMART TECHNOLOGY HELPS BUILD YOUR SUCCESS

Cat[®] Connect makes smart use of technology and services to improve your jobsite efficiency. Using the data from your technology-equipped machines, you'll get more information and insight into your equipment and operations than ever before.

To maximize production, reduce costs and improve safety, Cat Connect gives you the options you need to build the successful, sustainable business you want.

Equipment Management

Whether you manage five machines or 100, the first step is understanding what your machines can tell you and how that information can make a difference to your bottom line. Data from your machines and analysis tools from our dealership can help you make timely decisions that will help you control costs, improve operations, manage people and reduce risk.

Productivity

Profitable businesses rely on getting to grade quickly and without rework. Cat Connect GRADE technologies combine digital design data, in-cab guidance and automatic machine control to help you hit target grade faster with more consistent results. Operators can work confidently, thanks to easy-to-read displays that show real-time cut/fill data and arrows that indicate exactly which direction to move the cutting edge.

GRADE technologies help operators work more accurately, and finish jobs in fewer passes—from volume earthmoving to finish grade. You'll achieve

efficiency gains up to 50 percent, while reducing material, surveying, and labor costs. Whether you're working on simple planes and slopes or complex-contour designs, you'll get more work done—in less time and at a lower cost—than ever before.

When combined with LINK technologies, you can remotely access detailed information online via VisionLink[®] to monitor operations and maintain production targets.

Sustainability

Cat Connect helps you:

- Reduce emissions by burning less fuel
- Select the right equipment to minimize owning and operating costs
- Recover more value at the end of equipment life
- Make compliance reporting easier with better emissions monitoring

Safety

Safety gives you the visibility you want by increasing jobsite awareness to keep people and equipment safe. Enhanced safety options like tire monitoring and off-board safety reporting give you valuable learning and coaching opportunities for everyone on the jobsite.

Contact Peterson to find out how Cat Connect can increase your bottom line.

Maximize Your Equipment Investment WITH A CAT[®] CVA

A Cat[®] Customer Value Agreement is a hassle-free ownership plan to get the most from your Cat equipment. Genuine Cat Parts are delivered right on time and right to your door, with instructions for hassle-free maintenance. You benefit from the security of an Equipment Protection Plan (EPP) to avoid unexpected costs for unplanned repairs. All the keys to machine health management conveniently display on your phone. And it can all roll in with your monthly machine payment. It's one easy plan to leverage Cat value—beyond the machine—to maximize your investment and lower ownership costs. **That's a Cat Customer Value Agreement (CVA).**



Visit our dealership or contact us at [petersoncat.com](https://www.petersoncat.com)

PETERSON



Since 1936, Peterson is northern California, Oregon, and southwest Washington's authorized Cat® dealer and your source for Cat heavy equipment and engines. We also provide rental equipment from top manufacturers through Cresco (in California) and The Cat Rental Store (in Oregon and Washington).

Visit us online at petersoncat.com!

844-349-4353

OPENING IN 2020:
RIDGEFIELD, WA
UKIAH, CA



LEGEND

- Peterson Dealership
- Cresco/The Cat Rental Store



Follow Peterson online